

Dynamic Memory

2025 Winter APS105: Computer Fundamentals
Jon Eyolfson

Lecture 19
1.0.1

Recall: Local Variables Only Exist While the Function Runs

```
#include <stdio.h>
#include <stdlib.h>
```

```
int *foo(void) {
    int x = 1;
    return &x;
}
```

```
int main(void) {
    → int *p = foo();
    printf("*p: %d\n", *p);
    return EXIT_SUCCESS;
}
```

----- main -----

Stack

Recall: Local Variables Only Exist While the Function Runs

```
#include <stdio.h>
#include <stdlib.h>
```

```
int *foo(void) {
  → int x = 1;
    return &x;
}
```

```
int main(void) {
  int *p = foo();
  printf("*p: %d\n", *p);
  return EXIT_SUCCESS;
}
```

----- foo -----

p: ?

----- main -----


Stack

Recall: Local Variables Only Exist While the Function Runs

```
#include <stdio.h>
#include <stdlib.h>
```

```
int *foo(void) {
    int x = 1;
    → return &x;
}
```

```
int main(void) {
    int *p = foo();
    printf("*p: %d\n", *p);
    return EXIT_SUCCESS;
}
```




Recall: Local Variables Only Exist While the Function Runs

```
#include <stdio.h>
#include <stdlib.h>

int *foo(void) {
    int x = 1;
    return &x;
}

int main(void) {
    int *p = foo();
    → printf("*p: %d\n", *p);
    return EXIT_SUCCESS;
}
```



Can We Return a Pointer to Memory Created in a Function?

Any variables in a function are **allocated** (created in memory) on the “stack”

So previously, `int x` only exists in memory as long as we're running `foo`

We Can Explicitly Allocate Memory

There's another region of memory C can use that is unrelated to the current running function

This region of memory is called the "heap"

It comes from the literal word heap:
"a large amount or number of"

We Can Request Memory Using `malloc`

Its function prototype in the C standard library is:

```
void* malloc(size_t size);
```

`size_t` is basically a positive integer type
(the `sizeof(size_t)` depends on your machine)

We Can Request Memory Using `malloc`

Its function prototype in the C standard library is:

```
void* malloc(size_t size);
```

`size_t` is basically a positive integer type
(the `sizeof(size_t)` depends on your machine)

The size argument is how many contiguous bytes to allocate

`malloc` returns a pointer to a starting address,
you may then use size contiguous bytes

You Will See the Term API in Software

API stands for Application Programming Interface, and it tells you how to use a library (functions, types, etc.)

You may say “what’s the `malloc` API?”

We Can Create a Pointer to an int Using malloc

For example:

```
int *p = malloc(sizeof(int));
```

This creates a pointer to an `int`, pointing to 4 contiguous bytes on the heap

The value it's pointing to is `undefined`, meaning it could be anything

We Can Create a Pointer to an int Using malloc

For example:

```
int *p = malloc(sizeof(int));
```

This creates a pointer to an `int`, pointing to 4 contiguous bytes on the heap

The value it's pointing to is `undefined`, meaning it could be anything

However, we can initialize the value by dereferencing it

We Can Return Pointers That are Still Valid

```
#include <stdio.h>
#include <stdlib.h>
```

```
int *foo(void) {
    int *p = malloc(sizeof(int));
    *p = 1;
    return p;
}
```

```
int main(void) {
    → int *p = foo();
    printf("*p: %d\n", *p);
    return EXIT_SUCCESS;
}
```

Heap

-----main-----


Stack

We Can Return Pointers That are Still Valid

```
#include <stdio.h>
#include <stdlib.h>

int *foo(void) {
    → int *p = malloc(sizeof(int));
      *p = 1;
      return p;
}

int main(void) {
    int *p = foo();
    printf("*p: %d\n", *p);
    return EXIT_SUCCESS;
}
```



Heap


Stack

We Can Return Pointers That are Still Valid

```
#include <stdio.h>
#include <stdlib.h>

int *foo(void) {
    int *p = malloc(sizeof(int));
    → *p = 1;
    return p;
}

int main(void) {
    int *p = foo();
    printf("*p: %d\n", *p);
    return EXIT_SUCCESS;
}
```




We Can Return Pointers That are Still Valid

```
#include <stdio.h>
#include <stdlib.h>

int *foo(void) {
    int *p = malloc(sizeof(int));
    *p = 1;
    → return p;
}

int main(void) {
    int *p = foo();
    printf("*p: %d\n", *p);
    return EXIT_SUCCESS;
}
```




We Can Return Pointers That are Still Valid

```
#include <stdio.h>
#include <stdlib.h>

int *foo(void) {
    int *p = malloc(sizeof(int));
    *p = 1;
    return p;
}

int main(void) {
    int *p = foo();
    → printf("*p: %d\n", *p);
    return EXIT_SUCCESS;
}
```



`malloc` Can Run Out of Memory and Return an Error

If there's no more room in the heap, `malloc` returns NULL

You should check the return value of `malloc`

Otherwise, you may dereference NULL!

We Have a New Responsibility, Deallocating

Previously, when the function returns, all the variables disappear
They're no longer valid, and your computer can re-use the memory

We say the memory is **deallocated**, meaning you're done using it

For memory allocated with `malloc`, we have to deallocate it

We Can Deallocate Using the `free` Function

Its function prototype in the C standard library is:

```
void free(void *ptr);
```

The pointer argument, `ptr`, needs to be the address returned from `malloc`
Afterwards you cannot use the memory pointed to by `ptr`

We Can Deallocate Using the `free` Function

Its function prototype in the C standard library is:

```
void free(void *ptr);
```

The pointer argument, `ptr`, needs to be the address returned from `malloc`
Afterwards you cannot use the memory pointed to by `ptr`

If the value of `ptr` is `NULL` then `free` does nothing

We Should Deallocate Memory When We No Longer Use It

```
#include <stdio.h>
#include <stdlib.h>

int *foo(void) {
    int *p = malloc(sizeof(int));
    *p = 1;
    return p;
}

int main(void) {
    int *p = foo();
    printf("*p: %d\n", *p);
    free(p);
    return EXIT_SUCCESS;
}
```

Forgetting to Deallocate Memory is Called a Memory Leak

Your program would be using more memory than it actually needs to function

This is a big problem when your program runs for a long time!

You may actually run out of memory, and slow down other programs

You Can Use a Tool Called `valgrind` to Detect Memory Issues

If you run your program normally in the terminal using: `build/valid-pointer`
you can use: `valgrind build/valid-pointer`

If you forget to `free` in the previous example, you'll see:

```
==int== LEAK SUMMARY:
==int==    definitely lost: 4 bytes in 1 blocks
==int==    indirectly lost: 0 bytes in 0 blocks
==int==    possibly lost: 0 bytes in 0 blocks
==int==    still reachable: 0 bytes in 0 blocks
==int==    suppressed: 0 bytes in 0 blocks
==int== Rerun with --leak-check=full to see details of leaked memory
==int==
==int== For lists of detected and suppressed errors, rerun with: -s
==int== ERROR SUMMARY: 0 errors from 0 contexts (suppressed: 0 from 0)
```


You Can Follow valgrind's Directions to Get More Information

You can run it again with: `valgrind --leak-check=full build/valid-pointer`

You'll see the same as before but also with:

```
==int== 4 bytes in 1 blocks are definitely lost in loss record 1 of 1
==int==   at 0x48850C8: malloc (vg_replace_malloc.c:381)
==int==   by 0x1087E3: foo (valid-pointer.c:5)
==int==   by 0x10880B: main (valid-pointer.c:11)
```

You Can Follow valgrind's Directions to Get More Information

You can run it again with: `valgrind --leak-check=full build/valid-pointer`

You'll see the same as before but also with:

```
==int== 4 bytes in 1 blocks are definitely lost in loss record 1 of 1
==int==   at 0x48850C8: malloc (vg_replace_malloc.c:381)
==int==   by 0x1087E3: foo (valid-pointer.c:5)
==int==   by 0x10880B: main (valid-pointer.c:11)
```

This tells you what `malloc` you forgot to `free`
main called foo, then foo called malloc, therefore the malloc on line 5 leaked

Our Full Example Should Make Sure We're Not Out of Memory

```
#include <stdio.h>
#include <stdlib.h>

int *foo(void) {
    int *p = malloc(sizeof(int));
    if (p == NULL) {
        exit(EXIT_FAILURE);
    }
    *p = 1;
    return p;
}

int main(void) {
    int *p = foo();
    printf("*p: %d\n", *p);
    free(p);
    return EXIT_SUCCESS;
}
```

The `exit` Function Immediately Ends Your Program

Its function prototype in the C standard library is:

```
void exit(int status);
```

This behaves the same as returning from `main`

The status tells the OS whether there was an issue with your program

For this course we can just use `EXIT_SUCCESS` or `EXIT_FAILURE`

We Should Not Use the Memory After We free

```
#include <stdio.h>
#include <stdlib.h>
```

```
int main(void) {
→ int *p = malloc(sizeof(int));
  *p = 14;
  free(p);
  printf("*p: %d\n", *p);
  return EXIT_SUCCESS;
}
```

----- main -----


Heap

Stack

We Should Not Use the Memory After We free

```
#include <stdio.h>
#include <stdlib.h>


int main(void) {
    int *p = malloc(sizeof(int));
    → *p = 14;
    free(p);
    printf("*p: %d\n", *p);
    return EXIT_SUCCESS;
}
```



We Should Not Use the Memory After We free

```
#include <stdio.h>
#include <stdlib.h>

int main(void) {
    int *p = malloc(sizeof(int));
    *p = 14;
    → free(p);
    printf("*p: %d\n", *p);
    return EXIT_SUCCESS;
}
```



We Should Not Use the Memory After We free

```
#include <stdio.h>
#include <stdlib.h>

int main(void) {
    int *p = malloc(sizeof(int));
    *p = 14;
    free(p);
    → printf("*p: %d\n", *p);
    return EXIT_SUCCESS;
}
```



Heap

Stack

We Should Not Use the Memory After We free

```
#include <stdio.h>
#include <stdlib.h>

int main(void) {
    int *p = malloc(sizeof(int));
    *p = 14;
    free(p);
    printf("*p: %d\n", *p);
    → return EXIT_SUCCESS;
}
```



The Value We Read from Memory is Undefined After the **free**

The issue in the previous slide is called **use after free**

You may also hear that `p` is a **dangling pointer**

It is good practice to set the pointer to `NULL` after freeing:

```
free(p);  
p = NULL;
```

The Value We Read from Memory is Undefined After the **free**

The issue in the previous slide is called **use after free**

You may also hear that `p` is a **dangling pointer**

It is good practice to set the pointer to `NULL` after freeing:

```
free(p);  
p = NULL;
```

Now we'll see a segmentation fault immediately instead of an undefined value

You Also Cannot Call `free` Twice on the Same Pointer

```
#include <stdio.h>
#include <stdlib.h>

int main(void) {
    int *p = malloc(sizeof(int));
    *p = 14;
    free(p);
    free(p);
    printf("*p: %d\n", *p);
    return EXIT_SUCCESS;
}
```

You'll get a run-time error like:

```
free(): double free detected in tcache 2
```

valgrind Can Help You Debug the Two Previous Issues

valgrind will let you know if you're accessing invalid memory
(likely because of a use-after-free or dangling pointer)

valgrind will also let you know which two lines called `free`
(this helps you debug the double free)

Let's Define Some Functions That Work on Arrays

```
#include <stdio.h>
#include <stdlib.h>

void randomizeArray(int array[], int arrayLength) {
    for (int i = 0; i < arrayLength; ++i) {
        array[i] = rand() % 100 + 1;
    }
}

void printArray(int array[], int arrayLength) {
    printf("array:");
    for (int i = 0; i < arrayLength; ++i) {
        printf(" %d", array[i]);
    }
    printf("\n");
}
```

We Can Dynamically Allocate an Array!

```
int main(void) {
    int arrayLength = 0;
    do {
        printf("Enter the length of the array: ");
        scanf("%d", &arrayLength);
    } while (arrayLength <= 0);

    int *array = malloc(sizeof(int) * arrayLength);
    if (array == NULL) { return EXIT_FAILURE; }

    randomizeArray(array, arrayLength);
    printArray(array, arrayLength);

    free(array);
    array = NULL;

    return EXIT_SUCCESS;
}
```

Use Dynamic Memory Only When Needed

Dynamic memory is tricky to get correct, you need to:

- Remember to `free` when you're done using the memory
- Don't try to use the memory after you `free` (use-after-free)
- Don't call `free` twice on the same pointer (double free)

You should only use it when:

- Your function needs to return a pointer to valid memory
- You do not know the amount of memory you need at compile-time