

String Functions

2025 Winter APS105: Computer Fundamentals
Jon Eyolfson

Lecture 22
1.0.1

There are String Functions in the Standard Library

We just need to `#include <string.h>` at the top of our code

Remember: C strings are arrays of characters that end with a null byte

Some of these functions are tricky to use correctly,
we need string length + 1 bytes to store a C string

Can Use a Function to get the Length of a String

Instead of writing it ourselves, we can use:

```
size_t strlen(const char *s);
```

returns the length of the string (you could explicitly cast a `size_t` to an `int`)

`s` is a null terminated string

Note: you may hear people say null terminated string, or "C string",
they mean the same thing

We Can Get the Length of a String with `strlen`

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>

int main(void) {
    const char *s = "Hello world";
    int sLen = (int) strlen(s);
    printf("strlen(s): %d\n", sLen);
    return EXIT_SUCCESS;
}
```

Maybe We're Not Sure the String is Null Terminated

We can limit the number of characters the function reads with:

```
size_t strlen(const char *s, size_t maxlen);
```

This function only accesses $s[0]$ to $s[maxlen - 1]$ even if there's no null byte

The maximum value `strlen` returns is `maxlen` even if `s` is a longer C string

Limit the Maximum Length with `strncpy`

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>

int main(void) {
    const char *s = "Hello world";
    int sLen = (int) strlen(s, 5);
    printf("strlen(s, 5): %d\n", sLen);
    return EXIT_SUCCESS;
}
```

We'll see:

```
strlen(s, 5): 5
```

We Can Use `strcpy` to Copy a String

Remember, we can't modify a string if we do:

```
char *s = "Hello world";
```

We could copy a string to the heap with:

```
char *strcpy(char *dest, const char *src);
```

returns the same address as dest

src is the C string to copy values from

dest is the location to copy values to in memory

dest needs to point to (at least) `strlen(src) + 1` bytes of valid memory

dest will be null terminated

Copying a String with strcpy

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>

int main(void) {
    const char *s = "Hello world";
    char *d = malloc(sizeof(char) * 5);
    strcpy(d, s); /* d is not large enough! */
    printf("s: %s\n", s);
    printf("d: %s\n", d);
    return EXIT_SUCCESS;
}
```

Copying a String with Limits

We can use this function to copy instead:

```
char *strncpy(char *dest, const char *src, size_t n);
```

This function always writes n characters to dest

In other words, it assigns values from dest[0] all the way to dest[n - 1]

Copying a String with Limits

We can use this function to copy instead:

```
char *strncpy(char *dest, const char *src, size_t n);
```

This function always writes n characters to dest

In other words, it assigns values from dest[0] all the way to dest[n - 1]

If $n < (\text{strlen}(\text{src}) + 1)$ then dest is **not** null terminated

If $n > (\text{strlen}(\text{src}) + 1)$ then dest is filled with null bytes
for values from dest[strlen(src)] to dest[n - 1]

Copying a String with `strncpy`

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>

int main(void) {
    const char *s = "Hello world";
    printf("s: %s\n", s);
    int size = 6;
    char *d = malloc(sizeof(char) * size);
    strncpy(d, s, size);
    /* There's no overflow, but d does not have a null byte */
    if (d[size - 1] != '\0') {
        printf("There's no null byte!\n");
        d[size - 1] = '\0';
    }
    printf("d: %s\n", d);
    free(d);
    return EXIT_SUCCESS;
}
```

We Can Extend a String with the Content of Another

In other words, we can **concatenate** a string with:

```
char *strcat(char *dest, const char *src);
```

This copies the src C string to the end of dest

It starts copying src from the null byte of dest

dest must be able to hold `strlen(src) + strlen(dest) + 1` bytes

Copying a String with `strcat`

```
#include <string.h>
#include <stdio.h>
#include <stdlib.h>

int main(void) {
    const char *s = " world";
    int size = 12;
    char *d = malloc(sizeof(char) * size);
    strncpy(d, "Hello", size);
    strcat(d, s);
    puts(d);
    return EXIT_SUCCESS;
}
```

Example Implementation of `strcat`

```
char* strcat(char *dest, const char *src) {
    size_t dest_len = strlen(dest);
    size_t i;
    for (i = 0; src[i] != '\0'; ++i) {
        dest[dest_len + i] = src[i];
    }
    dest[dest_len + i] = '\0';
    return dest;
}
```

We Can Limit the Number of Characters We Copy

Similar to copying a string, we can set limits with:

```
char *strncpy(char *dest, const char *src, size_t n);
```

This copies at most n bytes from src

src does not need to be null terminated

The function also always adds a null byte to the end of dest

dest must point to `strlen(dest) + n + 1` bytes of valid memory

strncat Should Only Write the Number of Bytes that Fit

```
#include <string.h>
#include <stdio.h>
#include <stdlib.h>

#define ARRAY_LENGTH(array) (sizeof((array))/sizeof((array)[0]))

int main(void) {
    const char s[] = {' ', 'J', 'o', '\n'};
    int size = 10;
    char *d = malloc(sizeof(char) * size);
    strcpy(d, "Hello", size);
    /* Still doesn't take into account the number of bytes in d */
    strncat(d, s, ARRAY_LENGTH(s));
    /* This is better. */
    // strncat(d, s, size - strlen(d) - 1);
    puts(d);
    return EXIT_SUCCESS;
}
```

We Can Compare Strings with Each Other

We need to use the function:

```
int strcmp(const char *s1, const char *s2);
```

returns an integer,

- a negative value means $s1 < s2$

- a 0 value means $s1 == s2$

- a positive value means $s1 > s2$

We Can Compare Strings with Each Other

We need to use the function:

```
int strcmp(const char *s1, const char *s2);
```

returns an integer,

- a negative value means $s1 < s2$

- a 0 value means $s1 == s2$

- a positive value means $s1 > s2$

Note: we need to use this function to compare strings,
otherwise we're comparing addresses (pointers)

strcmp Compares Both Strings Character by Character

It uses the ASCII values, and stops at the first character that differs:

`strcmp("9", "10")` → positive, which means "9" > "10"

`strcmp("jo", "jon")` → negative, which means "jo" < "jon"

`strcmp("aaa", "b")` → negative, which means "aaa" < "b"

Comparing Strings Using strcmp

```
#include <string.h>
#include <stdio.h>
#include <stdlib.h>

int main(void) {
    const char *s1 = "alpha";
    const char *s2 = "beta";
    if (strcmp(s1, s2) < 0) {
        printf("s1 is less than s2!\n");
    }
    else if (strcmp(s1, s2) > 0) {
        printf("s1 is greater than s2!\n");
    }
    else {
        printf("s1 and s2 are the same!\n");
    }
    return EXIT_SUCCESS;
}
```

The Pointers Differ, but the String Content is the Same

```
#include <stdio.h>
#include <string.h>

int main(void) {
    const char* s = "Testing";
    int sLen = (int) strlen(s);
    char *s1 = malloc(sizeof(char) * (sLen + 1));
    char *s2 = malloc(sizeof(char) * (sLen + 1));
    strncat(s1, s, sLen + 1);
    strncat(s2, s, sLen + 1);
    if (s1 == s2) { printf("Pointers are the same\n"); }
    else           { printf("Pointers are DIFFERENT\n"); }
    free(s1);
    free(s2);
    return 0;
}
```

We Can Only Compare with Limits

We can now use the function:

```
int strncmp(const char *s1, const char *s2, size_t n);
```

This function compares at most n bytes from both strings

The strings do not have to be null terminated in this case,
it will stop reading early when a null byte occurs in either string

Comparing Only the First 3 Characters of Two Strings

```
#include <string.h>
#include <stdlib.h>

int main(void) {
    const char *s1 = "joneyolfson";
    const char *s2 = "jonstewart";
    int result = strncmp(s1, s2, 3);
    if (result < 0) {
        printf("s1 is less than s2!\n");
    }
    else if (result > 0) {
        printf("s1 is greater than s2!\n");
    }
    else {
        printf("s1 and s2 are the same!\n");
    }
    return 0;
}
```

We Can Search for a String within a Larger String

We can use this function that searches for a substring:

```
char *strstr(const char *haystack, const char *needle);
```

returns a pointer to the starting character of needle in haystack
or NULL if it does not exist

Note: the returned (non-NULL) pointer will point to a character in haystack

Using `strstr` to Find the Word "long"

```
#include <string.h>
#include <stdio.h>
#include <stdlib.h>

int main(void) {
    const char *s = "This is a long line!";
    const char *f = strstr(s, "long");
    if (f != NULL) {
        printf("f: %s\n", f);
    }
    return EXIT_SUCCESS;
}
```

This will print:

f: long line!

We Can Also Find a Character in a String

We can use the following function instead:

```
char *strchr(const char *s, int c);
```

returns a pointer to the character in s
or NULL if the character does not exist

Using strchr to Find the First "w"

```
#include <string.h>
#include <stdio.h>
#include <stdlib.h>

int main(void) {
    const char *s = "Hello world";
    const char *f = strchr(s, 'w');
    if (f != NULL) {
        printf("f: %s\n", f);
    }
    return EXIT_SUCCESS;
}
```

This will print:

f: world

We Can Convert Strings to an int or double

Both of these functions are in `stdlib.h`:

```
int atoi(const char *s);  
double atof(const char *s);
```

`atoi` converts the string `s` to an `int` and returns its value

`atof` converts the string `s` to a `double` and returns its value

An Example of Using atoi

```
#include <stdio.h>
#include <stdlib.h>

int main(void) {
    int value = atoi("1234");
    printf("value: %d\n", value);
    return EXIT_SUCCESS;
}
```

An Example of Using `atof`

```
#include <stdio.h>
#include <stdlib.h>

int main(void) {
    double value = atof("1.337");
    printf("value: %lf\n", value);
    return EXIT_SUCCESS;
}
```

Summary of String Functions

```
#include <string.h>
size_t strlen(const char *s);
size_t strnlen(const char *s, size_t maxlen);
char *strcpy(char *dest, const char *src);
char *strncpy(char *dest, const char *src, size_t n);
char *strcat(char *dest, const char *src);
char *strncat(char *dest, const char *src, size_t n);
int strcmp(const char *s1, const char *s2);
int strncmp(const char *s1, const char *s2, size_t n);
char *strstr(const char *haystack, const char *needle);
char *strchr(const char *s, int c);

#include <stdlib.h>
int atoi(const char *s);
double atof(const char *s);
```